


SECTION X-X




Existing wall to be demolished




Existing opening to be filled using brickwork




ELEVATION A



ELEVATION D



ELEVATION C



ELEVATION B

ITEM	FINISHES SCHEDULE
1.0	FLOOR
2.0	SKIRTING
3.0	WALL
4.0	CEILING
5.0	FINISHES SCHEDULE
1.1	Tile finish including skirting
1.2	In situ concrete troweled smooth with cement: Sand skirting
2.0	SKIRTING:
2.1	100mm high Tile skirting
2.2	100mm high Sand skirting
3.0	WALL FINISH:
3.1	12 mm thick smooth plaster finish with one coat plaster primer and 3 coats silk vinyl approved paint
3.2	Ceramic wall tiles up to 1500mm height
4.0	CEILING:
4.1	Expanded metal lath ceiling on 60x60 mm wooden branderings and joists
4.2	Sadomatt ceiling paint on 12mm thick plaster on slab

Window Name	Window List	W1 15	W2 15
Quantity	8	8	8
W x H Size	600x600	1,200x1,500	1,200x1,500
Window sill height	2,100	800	800
Window head height	3,000	2,400	2,400
3D Back View			

Door Name	Door List	D1 Transom 15	D1 Transom 15
Quantity	8	8	8
W x H Size	900x2,400	900x2,400	900x2,400
Orientation	L	L	R
Door sill height	0	0	0
Door head height	2,400	2,400	2,400
3D Back View			

DOOR AND WINDOW SCHEDULE

NOTES

- All dimensions are in millimeters
- Do not scale off from drawing
- All work to be carried out in accordance with local authority regulations.
- All walls to be reinforced with hoop iron at every alternative course.
- Provide damp proof course (D.P.C) under all walls.
- P.V indicated permanent ventilations.
- All drainage passing under building and drive area to be of Upvc pipe and ecased in concrete.
- All sanitary work to be in accordance with M.O.H rules and regulations.
- Check all dimensions on site.
- 1000g polythene sheeting and anti-termite treatment to be provided underground floor concrete slab.
- All reinforced concrete work is to be in accordance with structural engineer's details.
- All measurements in mm.
- Sample of fittings, materials etc. to be produced and approved before commencing work

ARCHITECTURAL DWG

SCALE	1:100	Drawn by	AM
DATE	OCT/06/21	Checked by	
PG	IRC/SW01-21	Approved by	

FUNDED BY



IMPLEMENTED BY

